# **Practice Clip 001:**

Portrays a 50 year old female. The Index of Facial Pain Expression is a 4. Pain at the orbital is scored intensity C while the pain expression at the levator is scored intensity A.

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code		С	Α		
Numeric Code		3	1		4

# **Practice Clip 002:**

Portrays a 55 year old male. The Index of Facial Pain Expression is a 11 Brow lowering is at intensity D, pain at the orbital is a D (lid tightening at intensity D is scored over cheek raising and lid compression at intensity C), and pain at the levator is scored at intensity B (upper lip raiser of intensity B is scored over nose wrinkling of intensity A). An additional pain intensity point is scored for the presence of eye closure.

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	D	D	В	Present	
Numeric Code	4	4	2	1	11

## **Practice Clip 003:**

Portrays a 63 year old female. The Index of Facial Pain Expression is a 6. Pain in the orbital is present at intensity C (cheek raiser and lid compressor) while the levator shows pain at intensity B (nose wrinkling). An additional pain intensity point is scored for the presence of eye closure.

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code		C	В	Present	
Numeric Code		3	2	1	6

#### **Practice Clip 004:**

Portrays a 52 year old female. The pain intensity rating is a 1. Brow lowering is at an intensity of A.

		0.1		Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	Α				
Numeric Code	1				1

#### **Practice Clip 005:**

Portrays a 49 year old male. The pain intensity rating is a 3. Pain in the orbital is present at intensity B (cheek raiser and lid compressor). An additional pain intensity point is scored for the presence of eye closure.

	Brow	Orbital	Levator	Eye Closure	Global Pain Intensity
Intensity Code	21011	В	2014101	Present	meensicy
Numeric Code		2		1	3

## **Practice Clip 006:**

Portrays a 20 year old male. The Index of Facial Pain Expression is a 15. Brow lowering is at intensity E; pain at the orbital is a E (cheek raising and lid compressor); and pain at the levator is scored at intensity D (nose wrinkling). An additional pain intensity point is scored for the presence of eye closure.

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	Е	Е	D	Present	
Numeric Code	5	5	4	1	15

# **Practice Clip 007:**

Portrays a 57 year old male. The Index of Facial Pain Expression is a 8. Brow lowering is at intensity E; while pain at the orbital is a C (cheek raising and lid compressor).

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	Е	С			
Numeric Code	5	3			8

# **Practice Clip 008:**

Portrays a 61 year old male. The Index of Facial Pain Expression is a 7 Brow lowering is at intensity A; pain at the orbital is a C (lid tightening at intensity C is scored over cheek raising and lid compression at intensity B); and pain at the levator is scored at intensity B (upper lip raising). An additional pain intensity point is scored for the presence of eye closure.

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	Α	С	В	Present	
Numeric Code	1	3	2	1	7

## **Practice Clip 009:**

Portrays a 51 year old male. The Index of Facial Pain Expression is a 3. Pain at the orbit scores an intensity of B (both cheek raiser and lid compressor as well as lid tightener are at intensity of B); while pain at the levator scores an intensity of A (nose wrinkling).

			Eye	Global Pain
Brow	Orbital	Levator	Closure	Intensity

Intensity Code	В	Α	
Numeric Code	2	1	3

## **Practice Clip 010:**

Portrays an older female. The Index of Facial Pain Expression is a 11 Brow lowering is at intensity D; while pain at the orbital is a C (cheek raising and lid compressor); and pain at the levator is a C (nose wrinkling). An additional pain intensity point is scored for the presence of eye closure.

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	D	С	С	Present	
Numeric Code	4	3	3	1	11

# **Practice Clip 011:**

Portrays a 52 year old female. The Index of Facial Pain Expression is a 3. Pain at the levator is present at intensity C (upper lip raiser)

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code			С		
Numeric Code			3		3

# **Practice Clip 012:**

Portrays a 49 year old female. The Index of Facial Pain Expression is a 10. Brow lowering is at intensity C; while pain at the orbital is a D (cheek raising and lid compressor); and pain at the levator is a C (nose wrinkling and upper lip raiser at both present at intensities of C).

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	С	D	С		
Numeric Code	3	4	3		10

### **Practice Clip 013:**

Portrays a 34 year old female. The Index of Facial Pain Expression is a 6. Brow lowering is at intensity C; while pain at the orbital is a C (lid itghtener).

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	С	С			
Numeric Code	3	3			6

### **Practice Clip 014:**

Portrays a 55 year old male. The Index of Facial Pain Expression is a 4. Brow lowering is present at intensity B; while pain at the orbit is present at intensity B (lid tightener at intensity B is scored over upper cheek raiser and lid compressor which is present at an intensity of A).

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	В	В			
Numeric Code	2	2			4

# **Practice Clip 015:**

Portrays a 58 year old male. The Index of Facial Pain Expression is a 8. Orbit tightening is at intensity D; while pain at the levator is a C (nose wrinkling). An additional pain intensity point is scored for the presence of eye closure.

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code		D	С	Present	
Numeric Code		4	3	1	8

## **Practice Clip 016:**

Portrays a 42 year old female. The Index of Facial Pain Expression is a 4. Brow lowering is present at an intensity of D.

	Brow	Orbital	Levator	Eye Closure	Global Pain Intensity
Intensity Code	D				
Numeric Code	4				4

# **Practice Clip 017:**

Portrays a 53 year old Canadian female. The Index of Facial Pain Expression is a 3. Brow lowering is at an intensity of A; while pain at the orbit is present at intensity A (cheek raising and lid compression). An additional pain intensity point is scored for the presence of eye closure.

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	Α	Α		Present	
Numeric Code	1	1		1	3

### **Practice Clip 018:**

Portrays a 55 year old male. The Index of Facial Pain Expression is a 9 Brow lowering is present at intensity B; pain at the orbit is present at intensity D (lid tightener and upper cheek raiser and lid compressor are both present at intensity D); while pain at the levator

is at an intensity of B (upper lip raiser). An additional pain intensity point is scored for the presence of eye closure.

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	В	D	В	Present	
Numeric Code	2	4	2	1	9

## **Practice Clip 019:**

Portrays a 42 year old female. The Index of Facial Pain Expression is a 4. Pain at the orbital is at an intensity of D (cheek raising and lid compression at intensity D is scored over lid tightening which is present at an intensity of C).

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code		D			
Numeric Code		4			4

# **Practice Clip 020:**

Portrays a 61 year old male. The Index of Facial Pain Expression is an 8. Brow lowering is present at intensity B; pain at the orbit is present at intensity C (cheek raiser and lid compressor at intensity C is scored over lid tightening of intensity B); while pain at the levator is at an intensity of B (nose wrinkling of intensity B is scored above upper lip raiser of intensity A). An additional pain intensity point is scored for the presence of eye closure.

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	В	С	В	Present	
Numeric Code	2	3	2	1	8

#### **Practice Clip 021:**

Portrays a 42 year old male. The Index of Facial Pain Expression is an 8. Brow lowering is present at intensity D; while pain at the orbital is at an intensity of D (lid tightening).

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	D	D			
Numeric Code	4	4			8

### **Practice Clip 022:**

Portrays a 61 year old female. The Index of Facial Pain Expression is a 3. Brow lowering is at an intensity of A; pain at the orbital scores an intensity of A (lid tightener). An additional pain intensity point is scored for the presence of eye closure.

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	Α	Α		Present	
Numeric Code	1	1		1	3

## **Practice Clip 023:**

Portrays a 56 year old female. The Index of Facial Pain Expression is a 5. Brow lowering is present at an intensity of B; while pain at the levator is present at intensity B (upper lip raiser). An additional pain intensity point is scored for the presence of eye closure.

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	В		В	Present	
Numeric Code	2		2	1	5

## **Practice Clip 024:**

Portrays an older female. The Index of Facial Pain Expression is a 5. Brow lowering is present at intensity C; while pain at the orbital is at an intensity of B (cheek raising and lid compression).

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	С	В			
Numeric Code	3	2			5

## **Practice Clip 025:**

Portrays a 48 year old female. The Index of Facial Pain Expression is a 12. Brow lowering is present at intensity D; pain at the orbit is present at intensity D (cheek raiser and lid compression and lid tightening are present at intensities of D); while pain at the levator is at an intensity of C (nose wrinkling and above upper lip raiser are present at intensities of C). An additional pain intensity point is scored for the presence of eye closure.

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	D	D	С	Present	
Numeric Code	4	4	3	1	12

#### **Practice Clip 026:**

Portrays a 21 year old female. The Index of Facial Pain Expression is a 6. Brow lowering is present at intensity B; while pain at the levator is at an intensity of D (upper lip raiser at intensity D is scored over nose wrinkling of intensity C).

			Eye	Global Pain
Brow	Orbital	Levator	Closure	Intensity

Intensity Code	В	D	
Numeric Code	2	4	6

## **Practice Clip 027:**

Portrays a 52 year old female. The Index of Facial Pain Expression is a 10. Brow lowering is present at intensity C; pain at the orbit is present at intensity D (lid tightening are present at intensity D is scored over cheek raiser and lid compressor of intensity C); while pain at the levator is at an intensity of C (nose wrinkling).

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	С	D	С		
Numeric Code	3	4	3		10

# **Practice Clip 028:**

Portrays a 58 year old male. The Index of Facial Pain Expression is a 2. Pain at the orbital is present at intensity B (lid tightener).

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code		В			
Numeric Code		2			2

# Practice Clip 029:

Portrays a 60 year old male. The Index of Facial Pain Expression is a 6. Pain at the orbit is present at intensity C (lid tightening of intensity C is scored over cheek raiser and lid compression of intensity B); while pain at the levator is at an intensity of B (nose wrinkling). An additional pain intensity point is scored for the presence of eye closure.

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code		С	В	Present	
Numeric Code		3	2	1	6

### **Practice Clip 030:**

Portrays a 56 year old male. The Index of Facial Pain Expression is a 2. Pain at the levator is present at intensity B (nose wrinkler).

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code			В		
Numeric Code			2		2

### **Practice Clip 031:**

Portrays a 42 year old female. The Index of Facial Pain Expression is a 9. Pain at the orbit is present at intensity D (lid tightener and cheek raiser and lid compressor are both present at intensities of D); while pain at the levator is at an intensity of D (nose wrinkling). An additional pain intensity point is scored for the presence of eye closure.

					Eye	Global Pain
		Brow	Orbital	Levator	Closure	Intensity
Intensity Co	de		D	D	Present	
Numeric Co	de		4	4	1	9

# **Practice Clip 032:**

Portrays a 63 year old female. The Index of Facial Pain Expression is a 5. Pain at the orbit is present at intensity C (cheek raiser and lid compressor); while pain at the levator is at an intensity of B (nose wrinkling).

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code		С	В		
Numeric Code		3	2		5

## **Practice Clip 033:**

Portrays a 21 year old female. The Index of Facial Pain Expression is a 3. Pain at the levator is present at intensity C (Both nose winkling and upper lip raising are present at intensities of C).

	Brow	Orbital	Levator	Eye Closure	Global Pain Intensity
Intensity Code			С		
Numeric Code			3		3

#### **Practice Clip 034:**

Portrays a 50 year old female. The Index of Facial Pain Expression is a 4. Pain at the orbit is scored an intensity of C (cheek raising and lid compression is present at an intensity of C); while pain at the levator is present at intensity A (the upper lip raiser).

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code		С	Α		
Numeric Code		3	1		4

## **Practice Clip 035:**

Portrays a 57 year old male. The Index of Facial Pain Expression is a 10. Brow lowering is present at an intensity of C; pain at the orbit is present at intensity D (cheek raiser and lid compressor); while pain at the levator is at an intensity of B (nose wrinkling). An additional pain intensity point is scored for the presence of eye closure.

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	С	D	В	Present	
Numeric Code	3	4	2	1	10

## **Practice Clip 036:**

Portrays a male. The Index of Facial Pain Expression is a 3. Pain at the orbital is scored at an intensity of A (cheek raiser and lid compressor as well as lid tightener are each at an intensity of A); while pain at the levator is present at intensity B (upper lip raiser).

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code		Α	В		
Numeric Code		1	2		3

# **Practice Clip 037:**

Portrays a 65 year old male. The Index of Facial Pain Expression is a 5 Brow lowering is present at an intensity of B; pain at the orbit is present at intensity A (lid tightening); while pain at the levator is at an intensity of A (nose wrinkling). An additional pain intensity point is scored for the presence of eye closure.

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	В	Α	Α	Present	
Numeric Code	2	1	1	1	5

# **Practice Clip 038:**

Portrays a 55 year old male. The Index of Facial Pain Expression is a 12. Brow lowering is present at intensity D; pain at the orbit is present at intensity D (cheek raiser and lid compression and lid tightening are present at intensities of D); while pain at the levator is at an intensity of C (nose wrinkling and upper lip raiser are present at intensities of C). An additional pain intensity point is scored for the presence of eye closure.

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	D	D	С	Present	
Numeric Code	4	4	3	1	12

### **Practice Clip 039:**

Portrays a 48 year old male. The Index of Facial Pain Expression is a 4. Pain at the orbit is present at intensity D (cheek raiser and lid compressor).

			Eye	Global Pain
Brow	Orbital	Levator	Closure	Intensity

Intensity Code	D		
Numeric Code	4		4

# **Practice Clip 040:**

Portrays a 58 year old male. The Index of Facial Pain Expression is a 5. Brow lowering is present at intensity B while pain at the orbit is present at intensity B (upper cheek raiser and lid compressor as well as lid tightening are both present at intensities of B). An additional pain intensity point is scored for the presence of eye closure.

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	В	В		Present	
Numeric Code	2	2		1	5

# **Practice Clip 041:**

Portrays a 48 year old female. The Index of Facial Pain Expression is a 8 Brow lowering is present at intensity C; pain at the orbit is present at intensity B (cheek raiser and lid compression and lid tightening are present at intensities of B); while pain at the levator is at an intensity of B (upper lip raiser). An additional pain intensity point is scored for the presence of eye closure.

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	С	В	В	Present	
Numeric Code	3	2	2	1	8

#### **Practice Clip 042:**

Portrays a 57 year old male. The Index of Facial Pain Expression is a 10. Brow lowering is at intensity E; while pain at the orbital is a D (cheek raising and lid compressor). An additional pain intensity point is scored for the presence of eye closure.

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	Е	D		Present	
Numeric Code	5	4		1	10

#### **Practice Clip 043:**

Portrays a 57 year old male. The Index of Facial Pain Expression is a 4. Brow lowering is present at intensity B; while pain at the orbit is present at intensity B (cheek raiser and lid compressor).

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	В	В			
Numeric Code	2	2			4

## **Practice Clip 044:**

Portrays a 53 year old female. The Index of Facial Pain Expression is a 6. Brow lowering is present at intensity C (cheek raiser and lid compressor); while pain at the levator is at an intensity of C (nose wrinkling).

	Brow	Orbital	Levator	Eye Closure	Global Pain Intensity
Intensity Code	С		С		
Numeric Code	3		3		6

## **Practice Clip 045:**

Portrays a male. The Index of Facial Pain Expression is a 5. Pain at the orbit is rated intensity C (cheek raiser and lid compression of intensity C is scored over lid tightening of intesntiy B); while pain at the levator is scored at intensity A (nose wrinkling and upper lip raising are both present at intensities of A). An additional pain intensity point is scored for the presence of eye closure.

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code		С	Α	Present	
Numeric Code		3	1	1	5

# **Practice Clip 046:**

Portrays a 50 year old female. The Index of Facial Pain Expression is an 8. Pain at the orbit is present at intensity E (cheek raiser and lid compressor); while pain at the levator is at an intensity of C (nose wrinkling and upper lip raiser are present at intensities of C).

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code		E	С		
Numeric Code		5	3		8

#### **Practice Clip 047:**

Portrays a 48 year old female. The Index of Facial Pain Expression is a 6. Brow lowering is present at intensity C; pain at the orbit is present at intensity B (lid tightening); while pain at the levator is at an intensity of A (upper lip raiser).

				Eye	Global Pain
	Brow	Orbital	Levator	Closure	Intensity
Intensity Code	С	В	Α		
Numeric Code	3	2	1		6